

Elipse® Full Face Mask with A1P3 filters

Gas Filters: Activated carbon sealed

■ Particulate filters: Mechanical type

with TPE flexible overmolded /

multi-layer HESPA Synthetic media

encapsulated. Particulate filters are

integrated with the carbon element

into a ABS Shell

www.gvs.com



H: 178 mm D: 130 mm W: 166 mm



H: 97 mm **D**:11 mm **W**: 53 mm

Standards

Facemask EN 136:1998 Class 1 EN166:2001 Class 1 & K (anti-scratch) Cartridge filter EN 14387:2004+A1:2008 A1P3 R D

Weight

Mask + Filters: 526 g Filters: 176 g

Shelf Live

5 years (mask & filters) See storage conditions on Instructions for Use. Filters are re-usable and changeable.

Efficiency

P3 >99,95% for 0,3 μ particulate At 1000 ppm:

A1 > 70 minutes Cyclohexane (C₆H₁₂)

2

- **1.** Particulate pleated filter (total length 645 mm)
- **2.** Activated carbon treated for gas adsorption
- Designed to help airflow diffusion and full usage of the activated carbon
- 4. Inhalation valve

FFM221G

Part #

Material



B

Elipse® Full Face A1P3 Respirator Package also includes:

Replaceable filters

SPR341



Inner mask body in Medical Grade TPE

Visor in polycarbonate overmolded

■ Valve body in nylon with silicone

with silicone frame

■ Headband in silicone

■ Covers in PE

diaphragms

Elipse® A1P3 Replacement Cartridges Pair

SPM1001



Elipse® Full Face Carry Case

SPM1002



Elipse® Full Face Face Face Fit Test

SPM1003



1 pc Tearoff Kit

Applications



Welding and Grinding: Metal Furnes and Dust in confined spaces (gas welding)



Constructions: Paint, Moulds



Manufacturing: Solvents, various Organic Gases



Automotive & Marine: Adhesives, Paint, Solvents



Agriculture: Pesticides