

Product Datasheet model uvex i-vo 9160 041

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

Product characteristics

- fashionable safety spectacles with adjustable side arms
- perfect colour recognition acc. to uvex sunglare filters
- reliable protection provided by customized fit: multi-level side arm inclination and different side arm lengths allow the wearer to adjust the spectacles to suit their facial shape
- soft, uvex quattroflex arms and soft components around the nose and forehead for a comfortable, pressure-free fit
- the shape of the lenses offers unrestricted peripheral vision

Technical details

Frame

Material
Colour

Material
Features
Colour

Material

Material
Features
Colour

Manufacturer's ID code
Applicable EN norm
Impact resistance
Resistance to high speed
particles at extremes of
temperatures

Lens

Material
Thickness
Coating
Colour
UV protection
IR protection

Front piece

TPU/TPE
black/green

Side piece

PC
length adjustability
black

Rivet

brass, nickel-plated


Temple

TPU/TPE
quattroflex temple
black/green

Marking

W
166
F (45 m/s)
T

PC
3 mm at PD
uvex infradur plus
grey
UV400
fulfilled

	Marking
Filter	1,7 (DIN EN 169)
Manufacturer's ID code	W
Optical class	1
Low-energy impact	F (45 m/s)
Resistance to high speed particles at extremes of temperatures	T
Surface resistance to fine particles	K
Antifog	N
Conformity symbol	CE
Factory symbol	
Miscellaneous	
Weight	33 g
Packing	5 spectacles per box 200 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 169
PPE category	Category II