


**Product Datasheet model super f OTG 9169 545**

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

<b>Product characteristics</b>	<ul style="list-style-type: none"><li>• welding overspecs with arm-hinge concept for wearers of prescription glasses</li><li>• perfect colour recognition</li><li>• new filter technology combines UV and IR radiation protection</li><li>• minimum damage from welding sparks</li><li>• unrestricted peripheral vision</li><li>• soft arm ends for increased comfort</li></ul>
<b>Technical details</b>	
<b>Frame</b>	
Material	<b>Front piece</b> PA
Colour	black
Material	<b>Temple</b> PA/TPE
Colour	black, green

Manufacturer's ID code	<b>Marking</b> W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperatures	T
Conformity symbol	CE
<b>Lens</b>	
Material	PC
Thickness	2,1 mm
Coating	uvex infradur plus
Colour	grey
UV protection	UV 400
IR protection	fulfilled
<b>Marking</b>	
Filter	5 (welding filter acc. to DIN EN 169)
Manufacturer's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temper.	T
Surface resistance to fine particles	K
Antifog	N
Conformity Symbol	CE
Factory symbol	

**Miscellaneous**

Weight	38 g
Packing	5 spectacles per box 160 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 169
PPE Category	Category II