

## SAULT2 S3 SRC



PIGMENTED SPLIT LEATHER BOOTS - S3 SRC

Ref. SAULT2S3



### Product specifications

Upper: Pigmented split leather, S3 water resistant treatment. Lining: Polyamide. Insock: Removable premolded - Polyamide on EVA. Outsole: Injected - Dual-density PU with bump cap.

#### COLOUR

Black

#### SIZE

39, 40, 41, 42, 43, 44, 45, 46, 47, 48

## Product Use - Risks



Antistatic



Slip



Shock



PERFORATION



Construction / Civil engineering



Light industry



Second work / craftman



Heavy industry



Mining

## Product's highlights & user's benefits



### DUAL DENSITY PU OUTSOLE

1- Hear wearing outsole with toe and heel grip  
2- Lateral ladder grips

1- Reinforced adhesion on loose ground  
2- Secured stabilisation on ladder rungs



Retro-reflective tapes

Increased visibility for better safety



### SHOCK ABSORBER

Dual density PU outsole

Decreased propagation of shock waves



Outsole with PU protection bumper

Reinforced protection of the forefoot



Areas of integrated bending (PANOFLEX® system)

Less fatigue at the end of the day  
More comfortable walking



METAL

## Certifications and Standards



REGULATION (EU) 2016/425



EN ISO 20344:2011 Personal protective equipment - Test methods for footwear

EN ISO 20345:2011 Personal protective equipment - Safety footwear.

S3: Additional special requirements

SRC: Slip resistance

## References

References	Bar code	COLOUR	SIZE		
SAUL2S3NO40	3295249209803	Black	40	5	-
SAUL2S3NO41	3295249209810	Black	41	5	-
SAUL2S3NO42	3295249209827	Black	42	5	-
SAUL2S3NO43	3295249209834	Black	43	5	-
SAUL2S3NO44	3295249209841	Black	44	5	-
SAUL2S3NO45	3295249209858	Black	45	5	-
SAUL2S3NO46	3295249209865	Black	46	5	-
SAUL2S3NO47	3295249209872	Black	47	5	-
SAUL2S3NO48	3295249209889	Black	48	5	-
SAUL2S3NO39	3295249209797	Black	39	5	-