

VENICUT32 ESD - VECUT32 E



ANTISTATIC DELTANOCUT® KNITTED GLOVE - PU-COATING PALM

Ref. VECUT32ESD



Product specifications

DELTAAnocut® high performance fibre and carbon fibre. Polyurethane coating on palm and fingertips. Gauge 15.

Support: DELTAAnocut® high performance fibre and carbon fibre.
Coating: 100% polyurethane.

COLOUR

Grey

SIZE

06, 07, 08, 09, 10, 11

Product's highlights & user's benefits



DELTAAnocut® fibre

Very soft texture and optimal fit for all-day comfort



Polyurethane coating

Very soft and breathable material bringing comfort and dexterity
Good abrasion and tear resistance

Carbon fibre

High electrostatic dissipation to reduce the risk of explosion

The range specially designed for Electrostatic Discharge (ESD) environments!



Cut level B

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

2: Resistance to puncture (1 to 4)

B: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN16350:2014 Protective gloves - Electrostatic properties.

≤ 1,22 x 10⁶: Vertical resistance in ohms (Ω) according to EN1149-2:1997





USA STANDARDS

ANSI-ISEA 105:2016 Hand protection

A2: Resistance to cutting by sharp objects (from A1 to A9)



References

References	Bar code	COLOUR	SIZE		
VECUT32ESD06	3295249233846	Grey	06	60	12
VECUT32ESD07	3295249233853	Grey	07	60	12
VECUT32ESD08	3295249233860	Grey	08	60	12
VECUT32ESD09	3295249233877	Grey	09	60	12
VECUT32ESD10	3295249233884	Grey	10	60	12
VECUT32ESD11	3295249233891	Grey	11	60	12