

VENICUT53 NO



KNITTED DELTANOCUT® GLOVE WITH NITRILE MICRO-FOAM COATED PALM - GAUGE 15

Ref. VECUT53



Product specifications

DELTAAnocut®+ high performance fibre. Nitrile micro-foam coating on palm and fingertips. Gauge 15.

Support: DELTAAnocut®+ fibres.
Coating: 100% nitrile micro foam.

COLOUR

Black

SIZE

07, 08, 09, 10

Product Use - Risks



Wearing



CUTTING



Construction / Civil engineering



Heavy industry



Light industry



Services / Logistics



Wind energy

Product's highlights & user's benefits



DELTAAnocut®+

Excellent cut resistance (level D)
Unparalleled finesse of touch (15 gauge)

DELTAAnocut® fibre

Very soft texture for great comfort all day

Nitrile foam

Increased breathability (feeling of freshness)
Dexterity and comfort

Nitrile coating

Very good mechanical performance
Good grip in oily/ greasy environment

Gauge 15

Very good dexterity and work finesse



Cut level D

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements
5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

3: Resistance to puncture (1 to 4)

D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)





USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A4: Resistance to cutting by sharp objects (from A1 to A9)

References

References	Bar code	COLOUR	SIZE		
VECUT53NO07	3295249196035	Black	07	60	12
VECUT53NO08	3295249196059	Black	08	60	12
VECUT53NO09	3295249196066	Black	09	60	12
VECUT53NO10	3295249196073	Black	10	60	12