

VENICUT54BL



DELTANOCUT®+ KNITTED GLOVE - DOUBLE NITRILE COATING

Ref. VECUT54BL



Product specifications

DELTAnocut®+ high performance fibre. Double nitrile coating. Gauge 13.

Support: DELTAnocut®+ fibres.

Coating: 100% nitrile.

COLOUR

Royal blue-Black

SIZE

08, 09, 10, 11

Product Use - Risks



CUTTING



Wearing



Construction / Civil engineering



Second work / craftsman



Heavy industry



Light industry



Services / Logistics



Oil / Gas

Product's highlights & user's benefits



Double nitrile coating for oily work

1st smooth nitrile coating : impermeable to oils
2nd nitrile foam coating : good adhesion

High coating

Very good protection of the hand
Long life of the glove



Cut level D

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

3: Resistance to puncture (1 to 4)

D: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)





USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A4: Resistance to cutting by sharp objects (from A1 to A9)

References

References	Bar code	COLOUR	SIZE		
VECUT54BL08	3295249211080	Royal blue-Black	08	60	12
VECUT54BL09	00	Royal blue-Black	09	60	12
VECUT54BL10	00	Royal blue-Black	10	60	12
VECUT54BL11	3295249211110	Royal blue-Black	11	60	12