

VENICUT5M



1 HEATNOCUT® KNITTED SLEEVE - 45 CM

Ref. VECUT5M_



Product specifications

HEATnocut® high performance polyethylene fibre. Knitted sleeve with thumbhole. Length 45 cm. Gauge 13.

HEATnocut® fibre (high performance synthetic fibres).

COLOUR

Yellow-Grey

SIZE

One size

Product Use - Risks



Heat



CUTTING



Wearing



Construction / Civil engineering



Second work / craftman



Heavy industry



Light industry



Hygiene environment



Oil / Gas



Mining



Wind energy

Product's highlights & user's benefits



HEATnocut® High Performance Polyethylene

Contact heat (100°C for 15 seconds), and cut resistant
Very good level of abrasion resistance

Food compatibility



Cut level C

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

3: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

X: Resistance to puncture (1 to 4)

C: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

X: Resistance to flammability (from 1 to 4)

1: Contact heat resistance (from 1 to 4)

X: Convective heat resistance (1 to 4)

X: Radiant heat resistance (from 1 to 4)

X: Small splashes of molten metal (from 1 to 4)

X: Large quantities of molten metal (from 1 to 4)



REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOB MIGR Food contact - Overall Migration

.. Contact with wet or watery food

.. Contact with fatty foods

.. Contact with acidic foods



USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A2: Resistance to cutting by sharp objects (from A1 to A9)

References

References	Bar code	COLOUR	SIZE		
VE CUT5M	00	Yellow-Grey	One size	60	12