

## VIAGI S1P SRC ESD



SUEDE SPLIT LEATHER AND MESH SHOES - S1P SRC ESD

Ref. VIAGIS1PESD



### Product specifications

Upper: Suede split leather and polyester mesh. Lining: Polyester. Insock: Removable premolded - Polyester on EVA. Outsole: Injected - Dual-density PU. Non metallic footwear.

#### COLOUR

Black-Red

#### SIZE

36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48

Product Use - Risks



Antistatic



Slip



Shock



PERFORATION



Second work / craftman



Heavy industry



Light industry



Services / Logistics

## Product's highlights & user's benefits

### RISK OF ELECTROSTATIC DISCHARGE (ESD\*)

Static electricity present on operators must be controlled in the following areas of use, as it can :

- damage materials to sensitive electric shock: various electronic and electrical industries ...
- generate particles likely to be deposited on the paint : automotive industry, household appliances ...

The purpose of ESD control is to protect the electronic equipment being handled and not the wearer.

\* Electrostatic Discharge

### What does the regulation say?

The requirements for the design, establishment, implementation and maintenance of electrostatic discharge control devices (ESD) that can damage electronic components are defined by standard EN61340-5-1.

The device called "ESD" is used to control electrical discharges for manufacturing, processing, assembly, packaging, maintenance, testing, inspection, transport or handling of electrical or electronic parts, assemblies and equipment that may be damaged by electrostatic discharges.

To be usable in an ESD device, a shoe must at least be qualified according to the test methods of EN IEC 61340-4-3 and offer an electrical resistance lower than  $10^8 \Omega$ .

SAULT2 ESD, VIAGI ESD, MIAMI ESD and MEMPHIS ESD meet this level of resistance required for compliance. These shoes, thanks to their low electrical resistance, limit the risk of electrostatic discharge.



Esd



COMPOSITE



Composite toe cap 200j Lightweight and less fatigue Non conductive hot and cold



NON METALLIC Compatible with security checks (metal detectors)



Anti-perforation composite protective midsole Increased flexibility at the metatarsal level

## Certifications and Standards



REGULATION (EU) 2016/425

EN ISO 20344:2011 Personal protective equipment - Test methods for footwear

EN ISO 20345:2011 Personal protective equipment - Safety footwear.



S1P: Additional special requirements

SRC: Slip resistance

EN61340-5-1:2016 Electrostatic : Part 5-1 : Protection of electronic devices from electrostatic phenomena – General requirements ( ESD control footwear ) + EN IEC 61340-4-3 : 2018 - Part 4-3: Standard test methods for specific applications - Footwear

ESD control footwear: Electrostatic charge dissipation performance.

References

References	Bar code	COLOUR	SIZE		
VIAGIEPNR36	3295249173449	Black-Red	36	10	-
VIAGIEPNR37	3295249173456	Black-Red	37	10	-
VIAGIEPNR38	3295249173463	Black-Red	38	10	-
VIAGIEPNR39	3295249173470	Black-Red	39	10	-
VIAGIEPNR40	3295249173487	Black-Red	40	10	-
VIAGIEPNR41	3295249173494	Black-Red	41	10	-
VIAGIEPNR42	3295249173500	Black-Red	42	10	-
VIAGIEPNR43	3295249173517	Black-Red	43	10	-
VIAGIEPNR44	3295249173524	Black-Red	44	10	-
VIAGIEPNR45	3295249173531	Black-Red	45	10	-
VIAGIEPNR46	3295249173548	Black-Red	46	10	-
VIAGIEPNR47	3295249173555	Black-Red	47	10	-
VIAGIEPNR48	3295249173562	Black-Red	48	10	-