

APOLLON WINTER CUT VV73



KNITTED HIGH PERFORMANCE POLYETHYLENE / ACRYLIC GLOVE - FOAM LATEX COATED PALM

Ref. VV737JA



Product specifications

Acrylic/high performance polyethylene fibre. Foam latex coating on palm and fingertips. Gauge 10.

Support: Acrylic/high performance polyethylene fibre.
Coating: latex foam.

COLOUR

Fluorescent yellow-Black

SIZE

08, 09, 10, 11

Product Use - Risks



CUTTING



COLD



PERFORATION



Agriculture / Green areas



Heavy industry



Construction / Civil engineering

Product's highlights & user's benefits



Protection from the cold

Ideal in cold environments down to -15°C



Latex foam

Increased breathability (feeling of freshness)
Dexterity and comfort

Cut protection and brushed acrylic support

Ideal in extreme environments
Maintains heat
Very good cut protection (level E)



Cut level E

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

3: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

3: Resistance to puncture (1 to 4)

E: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN511:2006 Protective gloves against cold (X = Unrealized test)

X: Resistance to convective cold (from 1 to 4)

3: Resistance to contact cold (from 1 to 4)

X: Waterproof (0 or 1)





USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A5: Resistance to cutting by sharp objects (from A1 to A9)

References

References	Bar code	COLOUR	SIZE		
VV737JA08	3295249213282	Fluorescent yellow-Black	08	60	12
VV737JA09	3295249213244	Fluorescent yellow-Black	09	60	12
VV737JA10	3295249213251	Fluorescent yellow-Black	10	60	12
VV737JA11	3295249213268	Fluorescent yellow-Black	11	60	12