

CHEMSAFE PLUS WINTER VV



GLOVE IN PVC/NITRILE ON ACRYLIC LINING - PVC/NITRILE COATING HAND - 30 CM

Ref. VV837



Product specifications

Double PVC/nitrile coating on acrylic lining gauge 10. Third rough PVC/nitrile coating on hand. Length: 30 cm. Thickness: 1.15 mm on cuff - 1.35 mm on palm.

Support: 100% acrylic.
Coating: PVC/ nitrile.

COLOUR
Blue

SIZE
09, 10, 11

Product Use - Risks



COLD



BIOLOGICAL



WEATHER



CHEMICAL



PARTICULES



Heavy industry



Light industry



Oil / Gas



Mining

CHEM D-FINDER



Product's highlights & user's benefits



0%
SILICONE
LATEX/DMF



Rough structure hand

Very good grip



Brushed acrylic support

Maintaining heat for good thermal protection
High comfort

Triple PVC/ nitrile coating

Good resistance to abrasion

Light and flexible

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

3: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

2: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)

A: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



EN ISO 374-1:2016 Protective gloves against dangerous chemicals and micro-organisms - Part 1: Terminology and performance requirements for chemical risks.

TYPE A: Type A - Water and air tightness according to EN ISO 374-2:2019. Permeation resistance to at least 6 chemicals at level 2 according to EN16523-1: 2015, .. Determination of resistance to degradation by chemicals according to EN ISO 374-4: 2019. Part 4: Determination of resistance to degradation by chemicals.

K 6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2

L 4 > 120 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

M 2 > 40 mn: Nitric acid 65% (M) CAS 7697-37-2

N 2 > 45 min: Acetic acid 99% (N) CAS 64-19-7

P 6 > 480 mn: Hydrogen peroxide 30% (P) 7722-84-1

T 6 > 480 min: Formaldehyde 37% (T) CAS 50-00-0



EN ISO 374-5: 2016 Protective gloves against dangerous chemicals and micro-organisms - Part 5: Terminology and performance requirements against micro- organisms risks: VIRUS.

BACTERIA + FUNGI .. BACTERIA + FUNGI : Water and air tightness according to EN ISO 374-2:2019.



EN511:2006 Protective gloves against cold (X = Unrealized test)



1: Resistance to convective cold (from 1 to 4)

1: Resistance to contact cold (from 1 to 4)

1: Waterproof (0 or 1)



References

References	Bar code	COLOUR	SIZE		
VV837BL09	3295249214630	Blue	09	60	10
VV837BL10	3295249214647	Blue	10	60	10
VV837BL11	3295249219499	Blue	11	60	10