

# HELIX<sup>®</sup> 2065

HexArmor<sup>®</sup>

Innovation intertwined with safety. That's the DNA of the Helix<sup>®</sup> Series. The Helix<sup>®</sup> 2065 features a double-dipped flexible sandy nitrile palm coating that provides 360° water resistance while maintaining a superior grip in dry, oily, and wet situations.

A 13-gauge HPPE/fiberglass blend shell offers level A4 cut protection and high abrasion resistance.

## Protection zones



■ HPPE blend shell



ANSI/ISEA 105-2016  
CUT

**A4**



ANSI/ISEA 105-2016  
GRAM SCORE

**1974**



ANSI/ISEA 105-2016  
PUNCTURE

**3**



ANSI/ISEA 105-2016  
ABRASION

**6**

UK CA CE EN388:2016+A1:2018 **4X42D**

CE EN 407: 2020 **X1XXXX**

## Attributes

<b>Shell:</b>		13G HPPE/ fiberglass
<b>Coating:</b>	Material:	Sandy nitrile
	Finish:	Textured
	Weight:	Medium
	Breathability:	Poor
	Flexibility:	Good
Grip:		Dry, oil, or wet

**Sizes:** 5/XXS through 12/3XL



Liquid  
resistant

## Product features

- 13-gauge HPPE and fiberglass blend shell
- Flexible sandy nitrile palm coating provides superior grip and abrasion resistance
- Full flat nitrile coating offers 360° water resistance
- Elastic knit wrist helps prevent dirt and debris from entering the glove
- Ultimate dexterity and tactility
- Seamless construction for enhanced comfort and flexibility
- Launderable for extended life
- Vend-packed

**REACH COMPLIANT** REACH Compliant: Avoidance of substances classified as carcinogenic, mutagenic or reprotoxic, persistent, bioaccumulative or toxic.

HexArmor<sup>®</sup> products are cut and puncture resistant, NOT CUT AND PUNCTURE PROOF. Do not use with moving or serrated blades or tools. User shall be exclusively responsible to assess the suitability of the product as specified for any individual application or use. Protection zones are to be used as a general guide. Actual product protection zones may differ. Product features, design, protection zones subject to change.

Protected by patents and patents pending