


DOC NO	ISSUE	REVISION	PRODUCT REF.	DATE	QUALITY PLAN
QF/RD/05	01	00	FAR0403	10.10.14	
TECHNICAL SPECIFICATIONS				SIGNATURE	
				PRESIDENT (TECHNICAL)	

FULL BODY HARNESS (FAR0403)



DESIGN

- One dorsal attachment D-ring for fall arrest.
- Two front attachment D-ring at chest for fall arrest.
- Two lateral D-rings at waist for positioning.
- One front D-ring at waist level for rope access.
- Adjustable shoulder & leg Straps to enhance user ergonomics.
- Comfort padding at the back, leg Straps & waist to enhance user ergonomics

WEBBING

- Material : Polyester.
- Width : 44±1mm.
- Breaking strength : 23 kN(For Harness).
30 kN(For Belt).

STITCHING THREAD

- Material : High-tenacity polyester.

METAL COMPONENTS

- Material : High Strength Steel .
- Plating : Zinc Plated.
- Finish : Black Powder coated.

VITAL TEST COMPLIANCE

- Static Strength : 15 kN or 1,530 kgf for 3 Minutes at each attachment element.
- Dynamic strength : Free fall from 4 meters height donned to a test dummy weighing 100 kg at each attachment element.

WEIGHT

- : 2410 gm ±10 gm.

