

Technical Specification

Pawā® PG101 (PG10161-5)

Breathable Gloves



Sizes Available: Small / Medium / Large / XLarge / 2XL

Per Bag: 12x Pairs

Per Carton: 120x Pairs

Glove Details:

The Pawā® PG101 glove provides excellent dexterity and grip, even in oily environments. Featuring anti-fatigue technology and superior breathability, the PG101 remains comfortable during challenging tasks.

Selected Features:

- PawāVENT™ 360° Breathability
- PawāFIT™ Anti-Fatigue Technology
- Superior level 4 abrasion resistance
- Oeko-Tex® approved
- No Silicone detected



Glove Benefits:



360° Breathability



Anti-Fatigue

Glove Standards & Conformity:

 EN388:2016
4-1-3-1-X

4 Abrasion

1 Blade Cut

3 Tear

1 Puncture

X ISO Cut

CE CAT II New PPE Regulation [EU] 2016/425 applies

Technical Specification

Pawā® PG101 (PG10161-5)

Breathable Gloves



Glove Technologies:



An advanced Nitrile coating with an active moisture management system providing 360° breathability & optimum wearer comfort.



Ergonomically designed to follow the contours of the hand, reducing hand fatigue and increasing wearer productivity.



Glove Applications:

Industry

Aerospace, Automotive, Construction, Engineering, Landscaping, Logistics, Manufacturing, Warehousing

Tasks

Dry Handling, Fabrication & Assembly, Oily Components, Small Parts Sorting, Tool Handling

Glove Materials:

Liner: Highly Dexterous Nylon / Spandex

Coating: Breathable Nitrile Nano Foam

Product Codes:

Code	Size	Colour
PG10161	Small	
PG10162	Medium	
PG10163	Large	
PG10164	XLarge	
PG10165	2XLarge	

The information supplied in our literature or given by our employees is based upon extensive knowledge and experience. This information, together with that supplied by our agents or distributors, is given in good faith in order to help you. Our Company policy is one of continuous Research and Development; we therefore reserve the right to update this information at any time without prior notice. We also guarantee the consistent high quality of our products; however, as we have no control over site conditions or the execution of the work, we accept no liability for any loss or damage which may arise as a result thereof. Any existing intellectual property right must be observed. Supertouch's standard terms and conditions apply.