Technical Specification

Pawā® PG510 (PG51012-5)

Anti-Cut Oil-Resistant Gloves



EN ISO Cut Level

Sizes Available: Medium / Large / XLarge / 2XL

Per Bag: 12x Pairs

Per Carton: 120x Pairs

Glove Details:

The Pawā® PG510 is a durable anti-cut glove with dual-layered nitrile coating. The high performance anti-cut yarn liner provides cut resistance, whilst the two layers of coating offer liquid proofing and excellent grip respectively.

Selected Features:

- PawāEDGE™ High Performance Anti-Cut Yarn
- PawāDRY™ Oil Repellent Nitrile Coating
- PawāGRIP™ Enhanced Sandy Nitrile Grip for oily environments
- PawāSHIELD™ Level 1 protection against intermittent heat contact up to 100°C
- Superior Cut Level D protection
- Provides up-to-the-cuff protection from oil, hydrocarbons, greases and sharps



Glove Benefits:



Excellent Grip



Oil-Resistant



Anti-Cut



Contact Heat Resistance

Glove Standards & Conformity:



EN407:2004 X-1-X-X-X-X

X Burning Behaviour

Contact Heat

X Convective Heat

X Radiant Heat

X Small Splashes Molten Metal

X Large Splashes Molten Metal

CE CAT II New PPE Regulation (EU) 2016/425 applies

Technical Specification

Pawā® PG510 (PG51012-5)

Anti-Cut Oil-Resistant Gloves



Glove Technologies:

Pawā GRIP™

Using advanced or textured finishes, grip has been enhanced to cope with demanding work environments.

PawāDRY™

Dual layered coating providing effective repellence to oils and water safeguarding wearer hand health.

PawāEDGE[™]

Anti-cut yarn technology that not only protects but provides extreme levels of comfort and performance in demanding conditions.

Pawā shield

Heat shield performance supplied through advanced liner raw materials and grip technology.



Glove Applications:

ndustry

Aerospace, Automotive, Construction, Engineering, Metal Fabrication, Oil & Gas, Refuse & Recyling, Scrapyard, Utility Operations Tasks

Cutting Tool Handling, Fabrication & Assembly, Greasy Parts Handling, Oily Components, Sharp Parts Handling

Glove Materials:

Liner:	High Performance Anti-Cut Yarn
Coating:	Enhanced Sandy Nitrile

The information supplied in our literature or given by our employees is based upon extensive knowledge and experience. This information, together with that supplied by our agents or distributors, is given in good faith in order to help you. Our Company policy is one of continuous Research and Development; we therefore reserve the right to update this information at any time without prior notice. We also guarantee the consistent high quality of our products; however, as we have no control over site conditions or the execution of the work, we accept no liability for any loss or damage which may arise as a result thereof. Any existing intellectual property right must be observed. Supertouch's standard terms and conditions apply.

Product Codes:

Code	Size	Colour
PG51012	Medium	
PG51013	Large	
PG51014	XLarge	
PG51015	2XLarge	