

RUSH 2.0

ERGONOMICS & SUSTAINABILITY

The RUSH 2.0 is designed for protection in a wide range of work environments and applications, offering both comfort and durability. Its textured temples and flexible nose piece provide extra support, while its Platinum Lite coated lens ensures good resistance to fogging and scratches, making it suitable for diverse work conditions. In addition to its ergonomic design, RUSH 2.0 is engineered with 32% of recycled material to help lower carbon emissions in PPE eyewear.

 32 G

+ **OPTIMIZED VISION:
PLATINUM LITE COATED**

+ **ADAPTIVE FIT:
WIDE HINGES**

+ **LIMITED PRESSURE POINT:
ERGONOMIC TEMPLES**

+ **SUSTAINABLE:
MADE OF 32% RECYCLED MATERIAL**

bolle
SAFETY

AVAILABLE IN ECO-POLYBAG
 **GO GREEN**

AVAILABLE IN
Customisation

 AVAILABLE WITH
PRESCRIPTION

PART OF THE RUSH+ COLLECTION



RUSH+ 2.0
STANDARD



RUSH+ 2.0 HB
UPPER SEAL



RUSH+ 2.0 XP
SEALED



RUSH 2.0
ACCESSIBLE



RUSH+ 2.0 DUO
PRESCRIPTION



TECHNOLOGIES


+PLATINUM LITE

VERSIONS



RUSHMN10E



RUSHMN20E





















RUSHMN30E

ACCESSORIES



PSPUNISS01

| RUSH 2.0 | | | | | | |
|--|---------|---|---|---|---|----------------|
| USE | VERSION | REFERENCE | LENS MARKING | FRAME MARKING | COATING | STANDARD |
|   | CLEAR |  RUSHMN10E |  UL1,2 CT 1 C€ | 16321  CT 1-M C€ |  PLATINUM LITE | EN ISO 16321-1 |
|   | SMOKE |  RUSHMN20E |  GL3 CT 1 C€ | 16321  CT 1-M C€ |  PLATINUM LITE | EN ISO 16321-1 |
|   | COPPER |  RUSHMN30E |  GL1 CT 1 C€ | 16321  CT 1-M C€ |  PLATINUM LITE | EN ISO 16321-1 |

BOLLÉ SAFETY PRODUCT APPROVAL CERTIFICATES TO C€ STANDARDS WILL BE SENT ON REQUEST.

| PACKAGING & EAN13 CODE | | |
|-----------------------------------|---|---|
| SINGLE: Size: 29.5 x 12 x 7 cm | INNER BOX: Size: 27.5x18x13 cm Weight: 0.765 kg | OUTER PACK: Size: 58 x 38 x 30 cm Weight: 6.82 kg |
| 3660740022891 | 3660740122898 -10 pcs | 3660740222895 -80 pcs |
| 3660740022921 | 3660740122928 -10 pcs | 3660740222925 -80 pcs |
| 3660740022952 | 3660740122959 -10 pcs | 3660740222956 -80 pcs |
| CUSTOM CODE: 9004901000 | | |



| OPTIONAL ACCESSORIES | | | | |
|----------------------|-----------------|---------------|-----------------------|------------------------|
| REFERENCE | DESCRIPTION | SINGLE | INNER BOX | OUTER PACK |
| PSPUNISS01 | UNIVERSAL STRAP | 3660740011970 | 3660740111977 -40 pcs | 3660740211974 -480 pcs |

| GENERAL SPECIFICATIONS | | | |
|------------------------|---------------------------|----------|-----------------------------------|
| LENS | POLYCARBONATE - 2.3 MM | FOAM | - |
| CURVE | 8 - VERY CURVED | STRAP | NYLON POLYESTER - 16MM (OPTIONAL) |
| FRAME | RECYCLED PC/TPR - RIMLESS | OPTIONAL | UNIVERSAL STRAP |

KNOW MORE ABOUT MARKINGS:

OR SCAN:



CLEANING & STORAGE

CLEANING : The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE : Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE : All products must be stored in a dry and clean environment.



MADE IN: CN

DATASHEET : 08-21-2025



THE PPE EYEWEAR SPECIALISTS

PACKAGING

ECO-
POLYBAG

Available on all Bollé Safety's eyewear
(except B-Line: 50% recycled)






PRODUCT



SOURCES :
ECOINVENT V3.8
(01/07/2024)

*8.7% reduction thanks to ECO-POLYBAG for 10 units
in FSC-certified cardboard packaging compared with
standard polybags packaged in non-FSC cardboard.

| VERSIONS |  RUSHMN10E |  RUSHMN20E |  RUSHMN30E |
|---|---|---|---|
| FRAME/TEMPLES COMPOSITION | RECYCLED POLYCARBONATE / RECYCLED TPR | | |
| LENS COMPOSITION | POLYCARBONATE | | |
| % OF TOTAL PRODUCT WEIGHT | 32.40% | 32.40% | 32.40% |
| CO ₂ FOOTPRINT | 0,1926 kgCO ₂ e | 0,1926 kgCO ₂ e | 0,1926 kgCO ₂ e |
| CO ₂ REDUCTION VS STANDARD PRODUCT | 63% | 63% | 63% |