



OIL RESISTANT, WATERPROOF NITRILE FOAM GRIP

Fully coated nitrile with a nitrile foam palm. Great grip, ideal for wet and oily tasks, including oil submersion.

FEATURES

- › A flexible, robust glove offering great dexterity and with good resistance to tearing
- › Protects the hand from oils, hydrocarbons, grease and abrasion, with optimal long lasting grip
- › Impermeable for working in damp or greasy environments, with increased resistance to abrasion for better durability
- › Minimal allergy risks
- › Designed for easy movement and continuous wear
- › Reinforced knit cuff
- › No irritation by seams in contact with the skin
- › Wrist well protected



SUITABLE FOR

Typical Industries

- Aerospace
- Automotive
- Construction
- Engineering
- Manufacturing
- Oil and Gas

Suitable Applications

- Concreting
- Handling Oily Components
- Maintenance
- Oil Submersion
- Painting
- Wet Work

CERTIFICATION

CAT II



EN 388:2016



4121X

See overleaf for explanation



377

PRODUCT INFORMATION

MATERIALS	LINER:	13 gauge nylon, polyester
	COATING:	Foam nitrile over nitrile
COLOUR	White/blue and black	
LENGTH (mm)	250 (size dependent)	
CUFF STYLE	Elasticated knit wrist	

ORDERING DETAILS

SIZE	CODE	PACKAGING
6/S	SHO3771	10 pairs per bag 120 pairs per case
7/M	SHO3772	
8/L	SHO3773	
9/XL	SHO3774	
10/XXL	SHO3775	

RECOMMENDATIONS FOR USE

- **USE:** General handling glove. Not suitable for thermal, electrical or chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016
PERFORMANCE LEVELS*

0-4	0-5	0-4	0-4	A-F	P
					Impact Resistance
					Straight Blade Cut Resistance (EN ISO: 13997)
					Puncture Resistance
					Tear Resistance
					Circular Blade Cut Resistance
					Abrasion Resistance

*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

