

# MICROPOROUS NITRILE FOAM EMBOSSED FINISH

The microporous nitrile foam embossed finish provides a strong grip in wet, dry or oily conditions. Ideal for precision tasks.

# **FEATURES**

- A light, elastic low-lint glove, resistant to deformation and which keeps its shape longer
- Protects the hand from oils, hydrocarbons, grease and abrasion, with optimal long lasting grip
- > Breathable back of hand to reduce perspiration
- Nitrile coating is formed and compressed to maximise grip, flexibility and durability
- > Surface of palm encourages grease dispersal
- Minimal allergy risks
- > Designed for easy movement and continuous wear
- > No irritation by seams in contact with the skin





# **SUITABLE FOR**

# **Typical Industries**

- Aerospace
- Automotive
- Construction
- Logistics
- Manufacturing
- Oil and Gas

# **Suitable Applications**

- Handling of Machined Parts Coated with Oil
- Maintenance
- Mechanical Assembly
- Operating Machinery
- Warehouse Work

### **CERTIFICATION**

CE

CAT II



3121X

See overleaf for explanation







#### **PRODUCT INFORMATION**

MATERIALS	LINER:	13 gauge nylon
	COATING:	Foam nitrile
COLOUR	Blue/black	
LENGTH (mm)	250 (size dependent)	
CUFF STYLE	Elasticated knit wrist	

# **ORDERING DETAILS**

SIZE	CODE	PACKAGING
6/S 7/M 8/L 9/XL	SHO3851 SHO3852 SHO3853 SHO3854	10 pairs per bag 120 pairs per case


#### **RECOMMENDATIONS FOR USE**

- USE: General handling glove. Not suitable for thermal, electrical or chemical protection. Do not use near moving machines if there is a risk of entanglement
- STORAGE: Store in dry conditions in the original packaging and away from direct sunlight
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

# **CERTIFICATION LEGENDS**



MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS\*



\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

