

coverall Technical Sheet

Product name	SPP -Coverall
Size	S. M.L. XL . XXL
Colour	White,
Material	30 gsm PP
Picture	<section-header></section-header>

Material: 30 Gsm SMS - White.

Suitable for:

Industry:

Hospital, House Hold, Emergency, Car industry, Waste management, Gardening, Pharmaceutical, Food processing, Pain ing, Outing, biological chemical hazard, lab, rescue and relief, Mining, Oil and gas.

Farming:


Veterinary, beekeeper, farm, slaughter house, butchery, poultry, swine flu, avian flu influenza.



Details:

Specifications	*Breathable and waterproof
	*Acid-proof, Anti-Shrink, Anti-Static, Breathable, Dust-Proof, Greaseproof, Nontoxic, Plus
	Size, Quick Dry and so on.
	*Hood, waist, cuffs and ankles with elastic adjustment, A zip front and elastic cuffs and ankles
	*Tough and fibre free
	*Special for cleaning, restoration, industry, painting, laboratories, etc
	*High quality, wholesale price, fast delivery

ApplicationThe product can be used in hospital, clinic, lab, forensic, architecture, patient reindustry, High level protection at low cost, comfortable for long time wearing			
Instruction	Wearing to protect from the environment.		
Self-Life	5 years		
Single use	Single use		
Sterile or not	Non sterilized		
Attention	Once it gets broken or wet and cannot provide further protection, please change another new one		
Storage	Store in a dry, cool place ($<40^{\circ}$ C) away from direct sunlight and fluorescent light		



size	S	Μ	L	XL	XXL
A :Height/cm	170	176	182	188	194
B :1/2 Chest/ cm	92	100	108	116	124
C :Sleeve/cm	50	58	58	58	58
D :Height hood /cm	28	30	30	30	30
Noted: ±2cm is acceptavle					





Hode design Hooded head design,elastic design at the cap,Wider protection range, free adjustment of tightness



ZIPPER DESIGN more convenient towear and take of, high density sewing.zipper front door protection more safely.





WAISTCONSTRICTION DESIGN Waist elastic cut for better adjustment , version of crisp, wear more comfortable .

CUFF DESIGN Elastccur footdesign.high sasticty, unlmte movement reduce gapsto prevent power orlul from entering.

	Materila Comp	osition:		
Material:	РР	PP+PE	SMS	Microporous
Dustproof :	50-70µm	Yes	10-30µm	0.5µm
Liquidproof:	a short time	Yes	a period of time	Yes (BEST)