



ProSolve Satin Black Paint - Technical Data Sheet

Product Code: SBP5A

Pack Size: 500ml Aerosol

Product Description

ProSolve Satin Black Paint is a high-quality, all-purpose acrylic aerosol paint specially formulated to provide a long-lasting, durable satin black finish. It is suitable for a range of materials including wood, plastic, metal and ceramics, and can be used for both interior and exterior applications.

Applications

- Wood surfaces
- Plastic surfaces
- Metal surfaces
- Ceramic surfaces
- General repair and refurbishment work
- Decorative and maintenance applications
- Interior and exterior use

Features & Benefits

- Quickdrying formulation
- Long-lasting satin finish
- Durable coating
- Suitable for indoor and outdoor use
- All-purpose acrylic paint
- Suitable for a wide range of materials
- Easy aerosol application

Surface Preparation

Ensure the area to be sprayed is clean, dry and free from dust, grease, loose material and other contamination. Plastic surfaces should be primed before application. Test on an inconspicuous area before use, particularly on plastics or sensitive substrates.

Directions for Use

Use in a well-ventilated area. Do not apply to hot surfaces. Shake the can vigorously for one minute after the mixing ball begins to rattle. Spray from approximately 20-25cm using a steady back and forth motion, slightly overlapping each stroke. Apply two or more light coats to build the desired coverage. Allow 5-10 minutes between coats. After use, invert the can and spray for five seconds to clear the nozzle.

Drying & Recoating

Touch Dry: 20-30 minutes

Recoat Time: 5-10 minutes between coats

Full cure time: Not specified on supplied documentation

Composition Information

A mixture of resins, additives, organic solvents and organic gases. The Safety Data Sheet lists hazardous ingredients including xylene, 2-butoxyethanol, 1-methoxy-2-propanol, propan-2-one, butane and propane.

Typical Technical Data

Appearance: Aerosol

Colour: Satin Black

Odour: Solvent-like

Finish: Satin

Application Distance: 20-25cm

pH: Not determined

Flash Point: Not known for blend

Relative Density: Not determined

Solubility in Water: Not determined

Explosive Properties: Product is considered non-explosive, although explosive vapour/air mixtures may be generated

Storage

Store between 5°C and 25°C in a dry, well-ventilated place away from sources of heat, ignition and direct sunlight. Protect from direct solar radiation. Do not expose to temperatures exceeding 50°C. Keep container tightly closed when not in use.

Limitations

Do not apply to hot surfaces. Do not spray on a naked flame or any incandescent material. Do not pierce or burn the container, even after use. Avoid use near sources of ignition. Plastic surfaces should be primed before application. Always test on an inconspicuous area before use where substrate compatibility is uncertain.

Health & Safety

Extremely flammable aerosol. Pressurised container may burst if heated. Toxic to aquatic life with long lasting effects. Harmful by inhalation and in contact with skin if swallowed. Irritating to eyes, respiratory system and skin. Use only in well-ventilated areas and avoid contact with skin and eyes. Always read the product label and Safety Data Sheet before use.

Packaging

500ml aerosol can

Product Code: SBP5A

Company Information

ProSolve

Sandall Stones Road

Kirk Sandall Industrial Estate

Doncaster

South Yorkshire

DN3 1QR

Disclaimer

The information contained within this document is believed to be accurate at the time of publication and is provided for guidance purposes only. Users should satisfy themselves that the product is suitable for their intended application. Always refer to the latest Safety Data Sheet and product label before use.