

Chemical gloves with enhanced grip and long safety cuffs, perfect for indoor applications



- **Enhanced grip:** Thanks to their ANSELL GRIP™ coating, AlphaTec® 58-535W safety gloves minimize the force required to handle oily or wet components
- **Elevated comfort:** Their white nylon inner liner enhances comfort and helps make them perfect for indoor applications
- **Advanced defenses:** AlphaTec® 58-535W work gloves' bonded construction, featuring a coating polymer that doesn't penetrate the liner in manufacture, limits liquid and chemical leakage
- **Improved durability:** These AlphaTec® gloves achieve ANSI/ISEA 105-2024 ABRASION LEVEL 5 and EN ABRASION LEVEL 3 standards
- **Specialized protection:** Beyond chemical resistance, they satisfy EN 407 contact heat level 1, further enhancing workplace safety

Industries

- Automotive
- Automotive Aftermarket
- Machinery and Equipment
- Metal fabrication
- Chemical

Applications

- Metalworking & assembly operations
- Body painting including surface inspection
- Applying sealers, touching up
- Changing tools and dies
- Handling application & cleaning tools
- Warehousing of raw materials
- Loading and unloading trucks and vehicles
- Filling, blending and charging of raw materials
- Transferring liquids and solids
- Loading and unloading of process equipment
- Transferring liquids and solids between vessels and tanks and process equipment
- Supervision of running operation
- Handling outgoing goods: cans, vessels, bulkpack and cartons
- Opening furnaces draining pumps valves or lines and crackers BTX process

AlphaTec™

58-535W

Unique combination of grip and chemical resistance

Key Features

- **ANSELL GRIP™ coating:** Superb wet and dry grip, with minimal effort
- **White nylon liner:** Excellent comfort levels, ideal for indoor applications
- **Bonded construction:** Enhanced dexterity, with zero liner penetration

Vulcanization Chemical Accelerators

- Zinc Diethyldithiocarbamate

Only a very small number of users may be sensitive to this ingredient(s) and hence may develop irritant and/or allergic contact reactions.

Technologies



Performance Standards

ANSI/ISEA 105-2024



0493

EN ISO 374-1:2016
Type A



AJKLOPT

EN388: 2016



3131A

EN 407



XIXXXX



EN ISO 374-5:2016



Specifications

BRAND STYLE	DESCRIPTION	GAUGE	SIZE	Length (MM/INCHES)	COLOR	PACKAGE
AlphaTec® 58-535W	Liner Material: Nylon Coating Material: Nitrile Featured Technology: ANSELL GRIP™	13	7, 8, 9, 10, 11	340 / 13.4	Grey	<ul style="list-style-type: none">• 6 pairs/polybag; 12 polybags/carton• Vend pack variant ,1 pair per bag,72 bags per carton