GUBRA

ESSENTIAL WRAP-AROUND COMFORT

The essential all rounder with a panoramic visual field! Wrap-around fit without any visual interference, COBRA offers 180° vision and perfect optical quality. The option of swapping the temples for an adjustable strap and foam seal means COBRA is a highly versatile model.



COBFTPSI



COBFSPS





















25 g

SUPPLIED WITH

Adjustable cord CORDC

Microfibre pouch







Strap + foam kit Réf. KITFSCOB

+ 1 PRODUCT = 2 USES

UPPER PROTECTION

PANORAMIC VISION

+ NON-SLIP BRIDGE

+ COMFORTABLE, NON-SLIP STRAIGHT TEMPLES

TEMPLE OR STRAP VERSION WITH **INTERCHANGEABLE FOAM**

PIVOTING TEMPLES



COBRA

ESSENTIAL WRAP-AROUND COMFORT

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
COBRA strap + foam version	Clear	COBFSPSI	2C-1.2 😭 1 BT KN €€		Anti-scratch/Anti-fog (⁺ ?)
COBRA Strap + foam version	Clear	COBFTPSI	2C-1.2 😭 1 BT KN €€	≅ EN166 FT C€	Anti-scratch/Anti-fog (⁺ P)
Transformation kit	Strap + foam	KITFSCOB	-	-	-
	Clear	COBPSI	2C-1.2 🗁 1 BT C€	≌ EN166 FT C€	Anti-scratch/Anti-fog
COBRA	Comfort yellow	COBPSJ	2C-1.2 😭 1 BT C€	≌ EN166 FT C€	Anti-scratch/Anti-fog
temple version	Contrast	COBCONT	5-1.1/1.4 😭 1 BT C€	≌ EN166 FT C€	Anti-scratch/Anti-fog
	ESP	COBESP	5-1.4 😭 1 BT C€	≌ EN166 FT C€	Anti-scratch/Anti-fog
	HD	COBHDPI	2C-1.2 😭 1 BT C€	≌ EN166 FT C€	Anti-scratch/Anti-fog
	Smoke	COBPSF	5-3,1 ≅ 1 BT C€	≅ EN166 FT C€	Anti-scratch/Anti-fog
Spare lens	Clear	OCCOBPSI	2C-1.2 😭 1 BT C€	-	Anti-scratch/Anti-fog

LENS MARKING

Optical class symbols:

1. Continuous work

Mechanical strength symbols:

- **B.** Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s
- **T.** The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

Others symbols:

- K. Resistance to surface damage by fine particles (optional)
- N. Resistance to fogging (optional)

TECHNOLOGY

∕ESP

ESP, Extra sensory Perception. an innovative coating to reduce dazzle and the harmful affects of blue light.

B-ESP filters 70% of blue light, 64% of visible light and 99.99% of UVA/UVB.

∠CONTRAST

A revolutionary coated, gradient lens offering better long term eye comfort. B-Contrast is particularly suited to wearers of safety glasses with clear lenses.

B-Contrast filters 99.99% of UVA/UVB up to 400 nm and over 30% of blue light.

♦PLATINUM

This permanent coating on both sides of the lens gives them a high resistance to scratching (1.4 cd / m²), to the most aggressive chemicals and delays the onset of fogging for 2 minutes. In all circumstances and at all times the PLATINUM lens innovation guarantees your eyes improved protection.

Бнп

A revolutionary coating for exceptional clarity and light transmission.

It can be used for every type of job except those requiring solar protection in industrial fields. Unlike any other lens, wearers forget they are protected by the HD coating. Its visible light transmission rate is 96% compared with 90% for conventional clear lenses.

Featuring a hydrophobic coating as standard, B-HD is a real polymer barrier and resists water and dirty marks.

FRAME MARKING

EN 166: guaranteed minimum resistance of the protective eyewear against everyday risks including dropping the protective eyewear onto the ground, ageing by light exposure, exposure to heat or corrosion etc.

- F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s Maximum protection for glasses.
- **B.** Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s
- T. The letter T, immediately after the mechanical strength symbol, authorises use for high speed particles at extreme temperatures.

Bollé Safety product approval certificates to CE standards will be sent on request.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly with a Bollé Safety optical solution.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: Store between 5 and 40 °, humidity <90%.











COBRA

ESSENTIAL WRAP-AROUND COMFORT

CHARACTERISTICS		
LENSES	PC - 2,2 mm - Curve 9	
FRAME	Nylon/PC/TPR	
STRAP	15mm adjustable	
FOAM	COBFSPSI & COBFTPSI	
SPARE LENSES	Yes	

PACKAGING AND EAN 13 CODE				
	COBFSPSI	KITFSCOB	COBFTPSI	
Individual plastic bag	3660740005986	3660740006037	3660740006921	
10 safety spectacles and 20 foam and strap kit per box	3660740105983	3660740106034	3660740106928	
240 safety spectacles and 240 foam and strap kit per outer pack	3660740205980	3660740206031	3660740206925	

PACKAGING AND EAN 13 CODE			
OCCOBPSI			
Individual plastic bag	3660740006020		
25 safety spectacles per box	3660740106027		
300 safety spectacles per outer pack 3660740206024			

PACKAGING AND EAN 13 CODE							
	COBPSI	COBHDPI	COBPSJ	COBPSF	COBESP	COBCONT	COBFTPSI
Individual plastic bag	3660740006129	3660740006013	3660740006143	3660740006136	3660740006006	3660740005993	3660740006921
10 safety spectacles per box	3660740106126	3660740106010	3660740106140	3660740106133	3660740106003	3660740105990	3660740106928
200 safety spectacles per outer pack	3660740206123	3660740206017	3660740206147	3660740206130	3660740206000	3660740205997	3660740206925











KIT COBRA

KIT VERSION

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
KIT COBRA	Smoke ESP Clear	KITCOBRA	2C-1.2 🖆 1 BT C€ 5-1.4 😭 1 BT C€ 5-3.1 😭 1 BT C€	≅ EN166 FT cε (Strap) ≅ EN166 3BT cε (Temples)	Anti-scratch/Anti-fog Anti-scratch/Anti-fog Anti-scratch/Anti-fog

SUPPLIED WITH

Case with belt clip and loop









- THREE SPARE LENSES: CLEAR, SMOKE, ESP
- **H** INTERCHANGEABLE FOAM FOR COMFORT
- ADJUSTABLE STRAP AND STRAIGHT TEMPLES

PACKAGING AND EAN13 CODE		
KITCOBRA		
Individual plastic bag	3660740000707	
90 safety spectacles per outer pack	3660740200701	

CHARACTERISTICS		
LENSES	PC - 2,2 mm - Curve 9	
FRAME	Nylon/PC/TPR	
STRAP	15mm adjustable	
FOAM	EVA	
SPARE LENSES	ESP and smoke	
CASE	Rigid case	









