

ONYX2 BLANC

SAFETY HELMETS

Double-shell safety helmet, equipped with a visor, for protection against electric arcs and molten metal splashes



Certifications and norms



EN 397

MM LD -20°C +50°C 440VAC



EN 50365

CLASS 0



GS-ET-29

CLASS 1 (4KA)

Protects against risks









Specific benefits



Comfort

- · Balanced gravity center to prevent any musculoskeletal disorders for a prolonged use and a reduction of musculoskeletal disorders (MSDs)
- · ABS for lighter weight and greater comfort
- · Features 3 textiles straps with 6 fixing points for a better spread of weight



Hygiene

- · Replaceable headband for a better hygiene
- · Replaceable suspension for a better hygiene
- · Removable brow pad washable and replaceable for a perfect hygiene solution

Technologies & labels

· D-ONE-ROTOR

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Oil & Gas (extraction)
- Power Energy





ONYX2 BLANC

SAFETY HELMETS

Double-shell safety helmet, equipped with a visor, for protection against electric arcs and molten metal splashes

Standards - Details

Technical details

Type of product	Specific helmet				
, , , , , , , , , , , , , , , , , , ,	<u>'</u>				
Specific helmet	Arc flash helmet				
Shell material	ABS				
Textile harness	PA (Polyamide)				
Head size	53-64 cm				
Harness headband material	Polyethylene				
Harness adjustment	Wheel ratchet				
Ventilation	Non vented				
Main color	White				
Headdress points	6 points				
Neckband material	Polyester				
Helmet peak	None				
Jugular points	4 points				
Jugular chin	No chin				
Availables or replacement accessories	Badge holder, Shield, Jugular, Neck protector, Logo, Wheel-ratchet harness adjustement				
Integrated option	Jugular				
Custom logo	Unavailable				
Weight	775 g				
Lifespan from first use	48 months				
Lifespan from manufacturing	84 months				
Contained colors	White				







ONYX2 BLANC

SAFETY HELMETS

Double-shell safety helmet, equipped with a visor, for protection against electric arcs and molten metal splashes

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
ONYX2BJ	White	Adjustable	ONYX2 BLANC	3295249282509	13295249282506	6	1	8.44 kg	

