

TECHNICAL SPECIFICATION



EVOLite® Micro Peak OneTouch™ Slip Ratchet Non Vented

White / AJC160-000-100



DESCRIPTION

The EVOLite® is a breakthrough product enabling Health and Safety Officers to achieve new levels of compliance due to its unrivalled comfort. It is lightweight, extremely comfortable and fits the widest range of head shapes and sizes. The harness and shell are truly integrated as one to give the best performance by keeping it firmly rooted on the head, even when fully inverted. Gives added security and protection when working at height, in high winds, or when there is a high degree of activity, such as during motorway maintenance.























OPTIONS

Blue (AJC160-000-500)
Green (AJC160-000-300)
Orange (AJC160-000-800)
White (AJC160-000-100)
Yellow (AJC160-000-200)

SAFETY STANDARDS

EN 397 • EN 50365

SPECIFICATIONS

| | | | |
|--|--|---|--|
|  | Peak Micro |  | Impact Resistance 50 Joules |
|  | EN 50365 ELECTRICAL INSULATION 1000V |  | Lateral Deformation Yes |
|  | Resistance to Molten Metals and Hot Solids Helmets (optional) Yes |  | Minimum Temperature -40°C |
|  | Maximum Temperature +50°C |  | ABS Shell Yes |
|  | Recyclable Shell |  | Textile Harness |
|  | Depth Adjustment 3D Harness |  | Slip Ratchet Slip |
|  | Universal Accessories Slot Yes |  | Ventilation No |
|  | Reflective Option Optional |  | Integrated Eyewear Optional |
|  | ID card holder Optional |  | BSI Kitemark Yes |
|  | Optional 2 point chinstrap (EN397 & EN 812 compliant) Optional |  | Optional 4 point chinstrap (EN397 Compliant) Optional |
|  | Product Weight 328g |  | Size 53-64cm |

FEATURES



Supreme Comfort

A 6-point textile cradle harness system & Chamlon™ cotton sweatband offer unrivalled comfort.



Firmest Fit Available

The deep nape strap enables the firmest retention of any helmet, keeping it firmly rooted on the head. Available with either the Revolution® wheel ratchet or the OneTouch™ slip ratchet.



Accessories

A universal attachment slot enables firm fitting of a range of Surefit™ safety visors, and ear defenders. EVOSpec® Integrated eyewear is also available.



3D Adjustment

The textile harness features unique 1-2-3 point depth settings. This offers the most precise fit attainable on an industrial safety helmet.



CR2™ Reflective

Using Class RA2, high intensity reflective. CR2 is the biggest step-up in night time visibility / reflectivity of head protection to date. Conforms to Class RA2, EN12899-1.



JSP Logo Express®

Strengthen your corporate identity by applying a company logo on a range of our safety helmets. Minimum order quantities and set-up charges apply.




LOGO

- ☒ Front
- ☒ Back

RANGE



VIDEOS

-  www.youtube.com/watch?v=LdxMNctXLbg
-  www.youtube.com/watch?v=4iv_k1SEs4g
-  www.youtube.com/watch?v=WXD2v6an1as&t

DOWNLOADS

-  [Image Pack \(ZIP\)](#)
-  [doc-invincible-evolite.pdf \(PDF\)](#)