



341

ADVANCED LATEX GRIP TECHNOLOGY

Highly flexible, lightweight glove with an 'advanced grip' latex coating providing excellent wet and dry grip performance.

FEATURES

- › High levels of flexibility and softness
- › Engineered waterproof latex coating to palm and fingertips
- › Elasticated wrist provides a secure and comfortable fit
- › Breathable 13 gauge liner
- › Excellent dexterity and tactility
- › Ergonomic design that replicates the natural curvature of a human hand helps to reduce fatigue
- › Seamless for optimum comfort
- › Antibacterial and anti-odour treatment



SUITABLE FOR

Typical Industries

- Agriculture
- Construction
- Garages
- Logistics
- Manufacturing

Suitable Applications

- Construction Material Handling
- General Handling
- Light Assembly
- Maintenance

CERTIFICATION

CAT II



EN 388:2016



2121X

See overleaf for explanation





341

PRODUCT INFORMATION

MATERIALS	LINER:	13 gauge nylon, polyester
	COATING:	Natural latex
COLOUR	Grey/black	
LENGTH (mm)	250 (size dependent)	
CUFF STYLE	Elasticated knit wrist	

RECOMMENDATIONS FOR USE

- **USE:** General handling glove. Not suitable for thermal, electrical, chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use
- **WARNING:** Latex may cause allergies


ORDERING DETAILS

SIZE	CODE	PACKAGING
6/S	SHO341G1	10 pairs per bag 120 pairs per case
7/M	SHO341G2	
8/L	SHO341G3	
9/XL	SHO341G4	

CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016
PERFORMANCE LEVELS*



*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter