

MaxiFlex[®] Active[™] 34-824

EN test Results

Test	Notified Body	Result/Pass
EN 420: 2003 + A1: 2009	SATRA	Yes
EN 388: 2003	SATRA	4131
EN 374-3: 2003		-
EN 374-2: 2003		-
EN 407: 2004		-
EN 511: 2006		-
EN 10819		-
1935/2004/EC (food contact within EU)		-
FDA section 177.2600 (food contact within US)	SATRA	Passed
EN 14362-2: 2003		Passed

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".

Typical Performance Values

EN 420 Dexterity	Level 5
EN 420 pH value	6.35
EN 388:2003 A. Abrasion Resistance	> 8000 Cycles
EN 388:2003 B. Cut Resistance	> 1.2 index
EN 388:2003 C. Tear Resistance	> 50 newtons
EN 388:2003 D. Puncture Resistance	> 20 newtons
EN 14362-2:2003 Azo Colourants	No amines detected (<30'mg/kg)

MaxiFlex[®] Active[™] 34-824

HandCare[®]

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Oeko-Tex [®] 100	Certified
Sanitized [®]	Yes



Special features

Silicone free	Yes
---------------	-----

Issue date: 18.11.2014



Product Data Sheet

MaxiFlex[®] Active[™] 34-824

Issue date: 18.11.2014

