

uvex

uvex u-chem

Combines chemical resistant and mechanical protection properties

protecting people

uvex-safety.co.uk

9
uvex
u-chem 3300
EN ISO 3714 2309 / JPA
EN 388:2016
202X
CE
U321 JALOPT
12/2017
Made in Malaysia
UVEX SAFETY Corporation
Eberstr. 11
21337 Lüneburg
Germany

uvex u-chem

Combines chemical resistant and mechanical protection properties

The best of both: a mechanical and chemical glove range that delivers exceptional value for money

uvex u-chem 3000

Durable and versatile

The uvex u-chem 3000 is a full chemical protection glove certified to EN ISO 374-1:2016/Type A (AJKLOT) with good mechanical protection characteristics suitable for a wide range of applications.

Features:

- Chemical protection glove with good mechanical protection properties and a long service life
- Certified to EN 388:2016 (4131X), to EN ISO 374-1:2016/Type A (AJKLOT) and to EN 407 (X1XXXX)
- Short-term heat protection up to 100°C
- Outstanding mechanical abrasion resistance
- Good resistance to grease, mineral oils and many chemicals

Product code: 60961
Design: Fully coated with gauntlet: approx. 35 cm
Material: Cotton interlock
Coating: NBR approx 0.50mm
Colour: Green
Sizes: 8 to 11



uvex u-chem 3100

The perfect combination of chemical protection and grip

The uvex u-chem 3100 is highly flexible with a seamless cotton liner which gives outstanding comfort. The additional grip coating is ideal for handling wet and oily objects while remaining flexible. Certified to EN ISO 374-1:2016/Type A (AJKLMO), this glove also offers good mechanical protection and is ideal for use in a wide range of applications.

Features:

- Chemical protection glove with excellent grip
- Certified to EN 388:2016 (4121X) and EN ISO 374-1:2016/Type A (AJKLMO)
- Very good mechanical protection
- Highly flexible and good fit
- Good resistance to many chemicals
- Very good grip in wet and oily conditions

Product code: 60968
Design: Fully coated with gauntlet cuff
Material: Seamless cotton interlock
Coating: NBR approx 0.50mm
Colour: Black
Sizes: 8 to 10



EN ISO 374-1:2016/Type A



A J K L M O

EN 388:2016



4 1 2 1 X



The uvex u-chem range of gloves combine the very best mechanical and chemical resistant properties with exceptional value for money and quality you can rely on. But don't take our word for it, try them for yourself.

By selecting any uvex chemical glove, you also benefit from the uvex Chemical Expert System (CES) which is available 24/7 (see overleaf for details).

uvex u-chem 3200

New slim-fit design mechanical and chemical glove with excellent grip

The uvex u-chem 3200 offers a secure grip for handling oil, cooling lubricants and chemicals. The new slim fit design stretches and flexes with the hand giving high levels of dexterity. It also offers excellent chemical protection and resistance to oils and grease.

Features:

- Best for both chemical and mechanical applications
- Certified according to EN ISO 374-1:2016/Type A (JKLMOT) and EN 388:2016 (3131X)
- Good resistance to grease, mineral oils and many chemicals
- Very good grip for handling oil, cooling lubricants and chemicals

Product code: 60972
Design: Fully coated with cuff
Material: Nylon Weave
Coating: NBR approx 0.50mm
Colour: Petrol
Sizes: 7 to 11

EN ISO 374-1:2016/Type A



JKLMOT

EN 388:2016



3131X



Best of both



uvex u-chem 3300

Extremely high level of sensitivity and remarkable comfort

A highly tactile chemical protection glove certified to EN ISO 374-1:2016/Type A (JKLOPT). The bamboo fibre is particularly kind to skin and is comfortable to wear for long periods, making it ideal for a whole host of applications.

Features:

- Good alternative to disposable gloves for those looking to reduce waste
- Certified to EN 388:2016 (2121X) and EN ISO 374-1:2016/Type A (JKLOPT)
- Very good mechanical protection
- Highly flexible and good fit
- Very good grip in wet and oily conditions

Product code: 60971
Design: Fully coated with cuff
Material: Bamboo-rayon/Nylon
Coating: NBR approx 0.21mm
Colour: Blue
Sizes: 7 to 11

EN ISO 374-1:2016/Type A



JKLOPT

EN 388:2016



2121X

