



PRODUCT NUMBER: 2049132

VELVET SHOCK

Handling with shock risks.

Honeywell

Overview

Reference Number

2049132

Product Type

Gloves

Range

Specific Protection

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Building and Construction

Product Use

Handling with shock risks.

Features & Benefits

Feature

Anti-shock and anti-vibration cowhide leather glove

Gunn cut, winged thumb, vein protection

Water-repellent grain palm

Water-repellent Velvet grain back

4.8 mm anti-shock Poron® foam on the palm and the back

60 mm lastex wrist

Benefit

COMFORT

The grain leather has been specially enriched in its tanning process to give the glove superior water repellent properties.

This provides added comfort and outstanding flexibility.

Elasticated at the wrist, the glove offers added support.

The winged thumb and reinforced index make the glove more anatomical for added comfort.

RESISTANCE

Grain leather provides good mechanical resistance, particularly with regard to abrasion.
 Poron® foam absorbs the vibrations during shocks or impacts.
 Its US assembly ensures a longer life while reducing the number of seams.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-2003 EEC Basic standards
 EN 388-2003 Mechanical hazards

CHARACTERISTICS :

Anti-shock and anti-vibration cowhide leather glove
 Gunn cut, winged thumb, vein protection
 Water-repellent grain palm
 Water-repellent Velvet grain back
 4.8 mm anti-shock Poron® foam on the palm and the back
 60 mm lastex wrist

Product Technology

Cut and Sewn

Coating Type

Leather

Length

25,5 cm

Thickness

0.8/1.1 mm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

9 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	2

Packaging Label

Tagging

CE HONEYWELL
 2049132 XX
 EN 420
 EN 388 : 2122

Certifications

E.C. Declaration of Conformity**EC Category PPE**

2

EC Certificate Number

0075/797/162/03/12/0192

EC Attestation

EC Attestation

EC Attestation Number
0075/797/162/03/12/0192

Additional Information

User Manual

UI 102

User Information Sheet

102

Maintenance

Storage Information

Minimum packaging 10 pairs.
Cartons of 100 pairs.

Care Instructions

In order to keep its properties, this article should not be cleaned.